

Stenciled concrete gives the appearance of real stone, tile or brick without the higher installation costs and maintenance, available in a wide range of colors and patterns to choose from, with more options for the contractor and homeowner. Stenciled concrete leaves a at and even surface better suited for pool decks, walkways, driveways and interior oors.

How many patterns are available?

- 24 stencil eld patterns.
- 7 stencil headers & borders.
- 8 stencil accent pieces.

Hitt Marking Devices manufactures and distributes the industry's largest selection of patterns available, available in paper or ABS plastic for cast-in-place, over layment, drywall, and asphalt applications.

Are your stencils contractor friendly?


Hitt Marking Devices offers the concrete contractor a proven system with low start up costs. With quality products, reasonable prices, and outstanding technical and customer support. We're here to support you!

All in-stock items ordered by 1pm Central Standard Time ship the same day. Hitt Marking Devices offers expedited shipping for those last minute surprises. Please contact us for expedited shipping options.



3231 W. MacArthur Blvd., Santa Ana, CA 92704 Ph. 714-979-1405 or 800-969-6699 Email Sales@HPRubberstamp.com


STENCIL PATTERN CHART




LARGE KEYSTONE LARGEST STONE SIZE: 12" X 10" ROLL WIDTH: 35" JOINT WIDTH: 1/2" - 1"




KEYSTONE LARGEST STONE SIZE: 11" X 8" ROLL WIDTH: 33" JOINT WIDTH: 7; - 1 7;




EUROPEAN FAN BRICK SIZE: RANDOM ROLL WIDTH: 33° JOINT WIDTH: 1/2 - 3/2




COBBLE FAN BRICK SIZE: RANDOM ROLL WIDTH: 34° JOINT WIDTH: 7,° • 34°



ORIGINAL HERRINGBONE BRICK SIZE: 3 1/, X 7 1/, ROLL WIDTH: 33 1/, JOINT WIDTH: 1/,




MEDIUM TILE TILE SIZE: 7 1/2* X 7 1/2* ROLL WIDTH: 33 1/2* JOINT WIDTH: 1/2*



BUSHROCK AVERAGE STONE SIZE: 16" X 10" ROLL WIDTH: 36" JOINT WIDTH: 7,"



RUSTIC ASHLAR LARGEST STONE SIZE: 12" X 10" ROLL WIDTH: 35" JOINT WIDTH: 7," - 1"



FACE BRICK BRICK SIZE: 2 ¹/₄ * X 7 ¹/₅ ROLL WIDTH: 36 ¹/₆ * JOINT WIDTH: ¹/₁

T	1	ŢГ	Т
Т		ф	T
Т	1	¢	Ŧ
I	T	Ļ	T


RUNNING BOND BRICK SIZE: 4" X 7 ½" ROLL WIDTH: 36 ½" JOINT WIDTH: ½"

1	-	
F		
11	F	

BASKET WEAVE BRICK SIZE: 3 ½,* X 7 ½,* ROLL WIDTH: 33 ½,* JOINT WIDTH: ½,*




LARGE TILE TILE SIZE: 10 '\," X 10 '\," ROLL WIDTH: 33 '\," JOINT WIDTH: '\,"




FLAGSTONE LARGEST STONE SIZE: 14" X 11" ROLL WIDTH: 32" JOINT WIDTH: 7," - 1 7,"




LARGEST TILE SIZE: 12 V.* X II V.* ROLL WIDTH: 37" JOINT WIDTH: V.* - 1"



MEDITERRANEAN OCTAGON: 21" X 13 7/ ROLL WIDTH: 32" JOINT WIDTH: 7/



10" OCTAGON TILE OCTAGON DIAMETER: 10 1/2" ROLL WIDTH: 33 1/2" JOINT WIDTH: 11/2"



FLANDERS WEAVE FULL BRICK SIZE: 4 '/," X 10 '/," ROLL WIDTH: 33' JOINT WIDTH: '/,"



IG-INCH DIAMOND TILE LG. TILE SIZE: 16" X 16" INNER TILE: 4" X 4" ROLL WIDTH: 33 V₂" JOINT WIDTH: V₂"



ANTIQUE COLONIAL AVERAGE BRICK SIZE: 5 1/2" X 13 1/2" ROLL WIDTH: 36" JOINT WIDTH: 1/2" - 1"




ENGLISH COBBLE AVERAGE BRICK SIZE: 11 1/, X 4* ROLL WIDTH: 32* JOINT WIDTH: 1,*-1*



RIVERSTONE AVERAGE STONE SIZE: 13" X 9" ROLL WIDTH: 35" JOINT WIDTH: '/," - 3"



ROMAN PAVER AVERAGE BRICK SIZE: 10" X 5 7," ROLL WIDTH: 34" JOINT WIDTH: 7,"




COBBLESTONE BRICK SIZE: 4 'V, " X 7 'V," ROLL WIDTH: 33" JOINT WIDTH: 'V,"



COBBLEBRICK AVERAGE BRICK SIZE: 5 '\;" X 8 '\;" ROLL WIDTH: 37" JOINT WIDTH: '\;" · '\;"

STENCIL PATTERN CHART -



PATTERN MEASUREMENTS MAY WAY SUGHTLY DUE TO NORMAL MANUFACTURING TOLERANCES - PLEASE CALL FOR SAMPLE TO VIEW EXACT SIZE



Keystone



Flanders Weave



European Fan



Keystone





Ashlar





Cobble Fan





Keystone

Roman Paving





Keystone

Mediterranean





Bushrock

